Figure 1

Inhibition of T β RII Expression by RNAi




Figure 2

Suppression of TGF β RII Expression by siRNA

1 2 3 4 5 6

16 Hr RNAi

7 8 9 10 11 12

48 Hr RNAi.

Figure 3A

Target sequence 1: AAGTCGGTTAATAACGACATG (SEQ ID NO: 13)

Position in gene sequence: 423

GC content: 38.1%

Sense strand siRNA: GUCGGUUAAUAACGACAUGtt (SEQ ID NO 14)
Antisense strand siRNA: CAUGUCGUUAUUAACCGACtt (SEQ ID NO: 15)

Target sequence 2: AACGACATGATAGTCACTGAC (SEQ ID NO: 16)

Position in gene sequence: 435

GC content: 42.9%

Sense strand siRNA: CGACAUGAUAGUCACUGACtt (SEQ ID NO: 17)
Antisense strand siRNA: GUCAGUGACUAUCAUGUCGtt (SEQ ID NO: 18)

Target sequence 3: AACAACGGTGCAGTCAAGTTT (SEQ ID NO: 19)

Position in gene sequence: 456

GC content: 42.9%

Sense strand siRNA: CAACGGUGCAGUCAAGUUUtt (SEQ ID NO: 20)
Antisense strand siRNA: AAACUUGACUGCACCGUUGtt (SEQ ID NO: 21)

Target sequence 4: AACGGTGCAGTCAAGTTTCCA (SEQ ID NO: 22)

Position in gene sequence: 459

GC content: 47.6%

Sense strand siRNA: CGGUGCAGUCAAGUUUCCAtt (SEQ ID NO: 23)
Antisense strand siRNA: UGGAAACUUGACUGCACCGtt (SEQ ID NO: 24)

Target sequence 5: AAGTTTCCACAACTGTGTAAA (SEQ ID NO: 25)

Position in gene sequence: 471

GC content: 33.3%

Sense strand siRNA: GUUUCCACAACUGUGUAAAtt (SEQ ID NO: 26)
Antisense strand siRNA: UUUACACAGUUGUGGAAACtt (SEQ ID NO: 27)

Target sequence 6: AAATCCTGCATGAGCAACTGC (SEQ ID NO: 28)

Position in gene sequence: 528

GC content: 47.6%

Sense strand siRNA: AUCCUGCAUGAGCAACUGCtt (SEQ ID NO: 29)
Antisense strand siRNA: GCAGUUGCUCAUGCAGGAUtt (SEQ ID NO: 30)

Target sequence 7: AAGTCTGTGTGGCTGTATGGA (SEQ ID NO: 31)

Position in gene sequence: 580

GC content: 47.6%

Sense strand siRNA: GUCUGUGUGGCUGUAUGGAtt (SEQ ID NO: 32)
Antisense strand siRNA: UCCAUACAGCCACAGACtt (SEQ ID NO: 33)

Target sequence 8: AAAGAATGACGAGAACATAAC (SEQ ID NO: 34)

Position in gene sequence: 602

GC content: 33.3%

Sense strand siRNA: AGAAUGACGAGAACAUAACtt (SEQ ID NO: 35)
Antisense strand siRNA: GUUAUGUUCUCGUCAUUCUtt (SEQ ID NO: 36)

Figure 3B

the property and the same enterprise a second of the Target sequence 9: AATGACGAGAACATAACACTA (SEQ ID NO: 37) Position in gene sequence: 606 GC content: 33.3% Sense strand siRNA: UGACGAGAACAUAACACUAtt (SEQ ID NO: 38) Antisense strand siRNA: UAGUGUUAUGUUCUCGUCAtt (SEQ ID NO: 39) Target sequence 10: AACATAACACTAGAGACAGTT (SEQ ID NO: 40) Position in gene sequence: 615 GC content: 33.3% Sense strand siRNA: CAUAACACUAGAGACAGUUtt (SEQ ID NO: 41) Antisense strand siRNA: AACUGUCUCUAGUGUUAUGtt (SEQ ID NO: 42) Target sequence 11: AACACTAGAGACAGTTTGCCA (SEQ ID NO: 43) Position in gene sequence: 620 GC content: 42.9% Sense strand siRNA: CACUAGAGACAGUUUGCCAtt (SEQ ID NO: 44) Antisense strand siRNA: UGGCAAACUGUCUCUAGUGtt (SEQ ID NO: 45) Target sequence 12: AAGATGCTGCTTCTCCAAAGT (SEQ ID NO: 46) Position in gene sequence: 676 GC content: 42.9% Sense strand siRNA: GAUGCUGCUUCUCCAAAGUtt (SEQ ID NO: 47) Antisense strand siRNA: ACUUUGGAGAAGCAGCAUCtt (SEQ ID NO: 48) Target sequence 13: AAGCCTGGTGAGACTTTCTTC (SEQ ID NO: 49) Position in gene sequence: 717 GC content: 47.6% Sense strand siRNA: GCCUGGUGAGACUUUCUUCtt (SEQ ID NO: 50) Antisense strand siRNA: GAAGAAAGUCUCACCAGGCtt (SEQ ID NO: 51) Target sequence 14: AATGACAACATCATCTTCTCA (SEQ ID NO: 52) Position in gene sequence: 765 GC content: 33.3% Sense strand siRNA: UGACAACAUCAUCUUCUCAtt (SEQ ID NO: 53) Antisense strand siRNA: UGAGAAGAUGAUGUUGUCAtt (SEQ ID NO: 54) Target sequence 15: AACATCATCTTCTCAGAAGAA (SEQ ID NO: 55) Position in gene sequence: 771 GC content: 33.3% Sense strand siRNA: CAUCAUCUUCUCAGAAGAAtt (SEQ ID NO: 56) Antisense strand siRNA: UUCUUCUGAGAAGAUGAUGtt (SEQ ID NO: 57)

Figure 3C

Target sequence 16: AAGAATATAACACCAGCAATC (SEQ ID NO: 157

Position in gene sequence: 787

GC content: 33.3%

Sense strand siRNA: GAAUAUAACACCAGCAAUCtt (SEQ ID NO: 58)
Antisense strand siRNA: GAUUGCUGGUGUUAUAUUCtt (SEQ ID NO: 59)

Target sequence 17: AATATAACACCAGCAATCCTG (SEQ ID NO: 60)

Position in gene sequence: 790

GC content: 38.1%

Sense strand siRNA: UAUAACACCAGCAAUCCUGtt (SEQ ID NO: 61)
Antisense strand siRNA: CAGGAUUGCUGGUGUUAUAtt (SEQ ID NO: 62)

Target sequence 18: AACACCAGCAATCCTGACTTG (SEQ ID NO: 63)

Position in gene sequence: 795

GC content: 47.6%

Sense strand siRNA: CACCAGCAAUCCUGACUUGtt (SEQ ID NO: 64)
Antisense strand siRNA: CAAGUCAGGAUUGCUGGUGtt (SEQ ID NO: 65)

Target sequence 19: AATCCTGACTTGTTGCTAGTC (SEQ ID NO: 66)

Position in gene sequence: 804

GC content: 42.9%

Sense strand siRNA: UCCUGACUUGUUGCUAGUCtt (SEQ ID NO: 67) Antisense strand siRNA: GACUAGCAACAAGUCAGGAtt (SEQ ID NO: 68)

Target sequence 20: AAGCTGAGTTCAACCTGGGAA (SEQ ID NO: 69)

Position in gene sequence: 921

GC content: 47.6%

Sense strand siRNA: GCUGAGUUCAACCUGGGAAtt (SEQ ID NO: 70)
Antisense strand siRNA: UUCCCAGGUUGAACUCAGCtt (SEQ ID NO: 71)

Target sequence 21: AAGATGACCGCTCTGACATCA (SEQ ID NO: 72)

Position in gene sequence: 997

GC content: 47.6%

Sense strand siRNA: GAUGACCGCUCUGACAUCAtt (SEQ ID NO: 73)
Antisense strand siRNA: UGAUGUCAGAGCGGUCAUCtt (SEQ ID NO: 74)

Target sequence 22: AACAACATCAACCACAACAC (SEQ ID NO: 75)

Position in gene sequence: 1032

GC content: 38.1%

Sense strand siRNA: CAACAUCAACCACAACACAtt (SEQ ID NO: 76)
Antisense strand siRNA: UGUGUUGUGGUUGAUGUUGtt (SEQ ID NO: 77)

Figure 3D

Target sequence 23: AACATCAACCACAACACAGAG (SEQ ID NO: 78)

Position in gene sequence: 1035

GC content: 42.9%

Sense strand siRNA: CAUCAACCACAACACAGAGtt (SEQ ID NO: 79)
Antisense strand siRNA: CUCUGUGUUGUGGUUGAUGtt (SEQ ID NO: 80)

Target sequence 24: AAGCTGAAGCAGAACACTTCA (SEQ ID NO: 81)

Position in gene sequence: 1119

GC content: 42.9%

Sense strand siRNA: GCUGAAGCAGAACACUUCAtt (SEQ ID NO: 81)
Antisense strand siRNA: UGAAGUGUUCUGCUUCAGCtt (SEQ ID NO: 82)

Target sequence 25: AAGCAGAACACTTCAGAGCAG (SEQ ID NO: 83)

Position in gene sequence: 1125

GC content: 47.6%

Sense strand siRNA: GCAGAACACUUCAGAGCAGtt (SEQ ID NO: 84)
Antisense strand siRNA: CUGCUCUGAAGUGUUCUGCtt (SEQ ID NO: 85)

Target sequence 26: AACACTTCAGAGCAGTTTGAG (SEQ ID NO: 86)

Position in gene sequence: 1131

GC content: 42.9%

Sense strand siRNA: CACUUCAGAGCAGUUUGAGtt (SEQ ID NO: 87) Antisense strand siRNA: CUCAAACUGCUCUGAAGUGtt (SEQ ID NO: 88)

Target sequence 27: AAGATCTTTCCCTATGAGGAG (SEQ ID NO: 89)

Position in gene sequence: 1164

GC content: 42.9%

Sense strand siRNA: GAUCUUUCCCUAUGAGGAGtt (SEQ ID NO: 90)
Antisense strand siRNA: CUCCUCAUAGGGAAAGAUCtt (SEQ ID NO: 91)

Target sequence 28: AAGACAGAGAAGGACATCTTC (SEQ ID NO: 92)

Position in gene sequence: 1197

GC content: 42.9%

Sense strand siRNA: GACAGAGAAGGACAUCUUCtt (SEQ ID NO: 93)
Antisense strand siRNA: GAAGAUGUCCUUCUGUCtt (SEQ ID NO: 94)

Target sequence 29: AAGGACATCTTCTCAGACATC (SEQ ID NO: 95)

Position in gene sequence: 1206

GC content: 42.9%

Sense strand siRNA: GGACAUCUUCUCAGACAUCtt (SEQ ID NO: 96)
Antisense strand siRNA: GAUGUCUGAGAAGAUGUCCtt (SEQ ID NO: 97)

4.

Figure 3E

Target sequence 30: AATCTGAAGCATGAGAACATA (SEQ ID NO: 98)

Position in gene sequence: 1227

GC content: 33.3%

Sense strand siRNA: UCUGAAGCAUGAGAACAUAtt (SEQ ID NO: 99) Antisense strand siRNA: UAUGUUCUCAUGCUUCAGAtt (SEQ ID NO: 100)

Target sequence 31: AAGCATGAGAACATACTCCAG (SEQ ID NO: 158)

Position in gene sequence: 1233

GC content: 42.9%

Sense strand siRNA: GCAUGAGAACAUACUCCAGtt (SEQ ID NO: 101) Antisense strand siRNA: CUGGAGUAUGUUCUCAUGCtt (SEQ ID NO: 102)

Target sequence 32: AACATACTCCAGTTCCTGACG (SEQ ID NO: 103)

Position in gene sequence: 1242

GC content: 47.6%

Sense strand siRNA: CAUACUCCAGUUCCUGACGtt (SEQ ID NO: 104) Antisense strand siRNA: CGUCAGGAACUGGAGUAUGtt (SEQ ID NO: 105)

Target sequence 33: AAGACGGAGTTGGGGAAACAA (SEQ ID NO: 106)

Position in gene sequence: 1275

GC content: 47.6%

Sense strand siRNA: GACGGAGUUGGGGAAACAAtt (SEQ ID NO: 107) Antisense strand siRNA: UUGUUUCCCCAACUCCGUCtt (SEQ ID NO: 108)

Target sequence 34: AAACAATACTGGCTGATCACC (SEQ ID NO: 109)

Position in gene sequence: 1290

GC content: 42.9%

Sense strand siRNA: ACAAUACUGGCUGAUCACCtt (SEQ ID NO: 110) Antisense strand siRNA: GGUGAUCAGCCAGUAUUGUtt (SEQ ID NO: 111)

Target sequence 35: AAGAGCTCCAATATCCTCGTG (SEQ ID NO: 112)

Position in gene sequence: 1476

GC content: 47.6%

Sense strand siRNA: GAGCUCCAAUAUCCUCGUGtt (SEQ ID NO: 113) Antisense strand siRNA: CACGAGGAUAUUGGAGCUCtt (SEQ ID NO: 114)

Target sequence 36: AATATCCTCGTGAAGAACGAC (SEQ ID NO: 115)

Position in gene sequence: 1485

GC content: 42.9%

Sense strand siRNA: UAUCCUCGUGAAGAACGACtt (SEQ ID NO: 116) Antisense strand siRNA: GUCGUUCUUCACGAGGAUAtt (SEQ ID NO: 117)

Figure 3F

Target sequence 37: AACTGCAAGATACATGGCTCC (SEQ ID NO: 118)

Position in gene sequence: 1595

GC content: 47.6%

Sense strand siRNA: CUGCAAGAUACAUGGCUCCtt (SEQ ID NO: 119) Antisense strand siRNA: GGAGCCAUGUAUCUUGCAGtt (SEQ ID NO: 120)

Target sequence 38: AAGATACATGGCTCCAGAAGT (SEQ ID NO: 121)

Position in gene sequence: 1601

GC content: 42.9%

Sense strand siRNA: GAUACAUGGCUCCAGAAGUtt (SEQ ID NO: 122) Antisense strand siRNA: ACUUCUGGAGCCAUGUAUCtt (SEQ ID NO: 123)

Target sequence 39: AAGTCCTAGAATCCAGGATGA (SEQ ID NO: 124)

Position in gene sequence: 1618

GC content: 42.9%

Sense strand siRNA: GUCCUAGAAUCCAGGAUGAtt (SEQ ID NO: 125) Antisense strand siRNA: UCAUCCUGGAUUCUAGGACtt (SEQ ID NO: 126)

Target sequence 40: AATCCAGGATGAATTTGGAGA (SEQ ID NO. 127)

Position in gene sequence: 1627

GC content: 38.1%

Sense strand siRNA: UCCAGGAUGAAUUUGGAGAtt (SEQ ID NO: 128) Antisense strand siRNA: UCUCCAAAUUCAUCCUGGAtt (SEQ ID NO: 129)

Target sequence 41: AATTTGGAGAATGCTGAGTCC (SEQ ID NO: 130)

Position in gene sequence: 1638

GC content: 42.9%

Sense strand siRNA: UUUGGAGAAUGCUGAGUCCtt (SEQ ID NO: 131) Antisense strand siRNA: GGACUCAGCAUUCUCCAAAtt (SEQ ID NO: 132)

Target sequence 42: AATGCTGAGTCCTTCAAGCAG (SEQ ID NO: 133)

Position in gene sequence: 1647

GC content: 47.6%

Sense strand siRNA: UGCUGAGUCCUUCAAGCAGtt (SEQ ID NO: 134) Antisense strand siRNA: CUGCUUGAAGGACUCAGCAtt (SEQ ID NO: 135)

Target sequence 43: AAATGACATCTCGCTGTAATG (SEQ ID NO: 136)

Position in gene sequence: 1702

GC content: 38.1%

Sense strand siRNA: AUGACAUCUCGCUGUAAUGtt (SEQ ID NO: 137) Antisense strand siRNA: CAUUACAGCGAGAUGUCAUtt (SEQ ID NO: 138)

Figure 3G

Target sequence 44: AATGCAGTGGGAGAAGTAAAA (SEQ ID NO: 139)

Position in gene sequence: 1719

GC content: 38.1%

Sense strand sIRNA: UGCAGUGGGAGAAGUAAAAtt (SEQ ID NO: 140) Antisense strand siRNA: UUUUACUUCUCCCACUGCAtt (SEQ ID NO: 141)

Target sequence 45: AAGATTATGAGCCTCCATTTG (SEQ ID NO: 142)

Position in gene sequence: 1738

GC content: 38.1%

Sense strand siRNA: GAUUAUGAGCCUCCAUUUGtt (SEQ ID NO: 143) Antisense strand siRNA: CAAAUGGAGGCUCAUAAUCtt (SEQ ID NO: 144)

Target sequence 46: AAAGCATGAAGGACAACGTGT (SEQ ID NO: 145)

Position in gene sequence: 1789

GC content: 42.9%

Sense strand siRNA: AGCAUGAAGGACAACGUGUtt (SEQ ID NO: 146) Antisense strand siRNA: ACACGUUGUCCUUCAUGCUtt (SEQ ID NO: 147)

والمرافيات المستندة وأواج فالمستشرب ووجار بتياري والعم Target sequence 47: AAGGACAACGTGTTGAGAGAT (SEQ ID NO: 148)

Position in gene sequence: 1797

GC content: 42.9%

Sense strand siRNA: GGACAACGUGUUGAGAGAUtt (SFQ ID NO: 149) Antisense strand siRNA: AUCUCUCAACACGUUGUCCtt (SEQ ID NO: 150)

Target sequence 48: AAATTCCCAGCTTCTGGGTCA (SEQ ID NO: 151)

Position in gene sequence: 1831

GC content: 47.6%

Sense strand siRNA: AUUCCCAGCUUCUGGCUCAtt (SEQ ID NO: 152) Antisense strand siRNA: UGAGCCAGAAGCUGGGAAUtt (SEQ ID NO: 153)

Target sequence 49: AAGACGGCTCCCTAAACACTA (SEQ ID NO: 154)

Position in gene sequence: 2011

GC content: 47.6%

Sense strand siRNA: GACGGCUCCCUAAACACUAtt (SEQ ID NO: 155) Antisense strand siRNA: UAGUGUUUAGGGAGCCGUCtt (SEQ ID NO: 156)

Best Available Copy

Fig. 4 **DAPI** $T\beta RII$ a f b g C h d